



LED 投射燈

應用：
廣告看板、景觀照明、戶外照明等



LED 投射燈

型號：F3015 / F3028 / F3040






型號	F3015X-001*	F3028X-001*	F3040X-001*
額定光通量**	1500 lm(實測值:1511.8 lm)	2800 lm(實測值:2839.4 lm)	4000 lm(實測值:4051.3 lm)
額定電壓	100-240VAC, 50/60Hz		
功率因數	>0.9		
發光效率**	102.8 lm/W	101 lm/W	122.8 lm/W
額定功率	14W	28W	33W
色溫	5000K / 3000K / 4000K		
CRI	>80, R9>0		
尺寸(±2mm)	159mm(L) x 132mm(W) x 53mm(H)	203mm(L) x 176mm(W) x 64mm(H)	
重量(±5%)	680g	1260g	

備註：*根據色溫，X 可為C(5000K)或N(4000K)或W(3000K)

**為5000K時所測量之數值

● 冷白5000K照度圖



LED 投射燈

型號：F3070 / F3080 / F3150 / F3250



型號	F3070X-001*	F3080X-001*	F3150X-001*	F3250X-001*
額定光通量**	7000lm(實測值:7117.6lm)	8000lm(實測值:8129.8lm)	15000lm(實測值:15087.2lm)	25000lm(實測值:25071.2lm)
額定電壓	100-240VAC, 50/60Hz			
功率因數	>0.9			
發光效率**	114.1 lm/W	130.3 lm/W	112.6 lm/W	121.1 lm/W
額定功率	60W		130W	200W
色溫	5000K / 3000K / 4000K			
CRI	>80, R9>0			
尺寸(±2mm)	282mm(L) x 220mm(W) x 113mm(H)		310mm(L) x 268mm(W) x 182mm(H)	365mm(L) x 298mm(W) x 187mm(H)
重量(±5%)	2360g		5300g	6850g

備註：*根據色溫，X 可為C(5000K)或N(4000K)或W(3000K)

**為5000K時所測量之數值

● 冷白5000K照度圖

