



LED 嵌燈

應用：
辦公室、飯店、醫院、室內空間等



3000 lm (DE030 , D3035)

6000 lm (DE060)

11000 lm (DE100)



DE100 LED 嵌燈

DE030 LED 嵌燈

工程實蹟





D3035 LED 嵌燈



LED薄型嵌燈

型號 : D3035




型號	D3035X-083*
額定光通量**	3000 lm (實測值:2997.3 lm)
額定電壓	100~240, 50/60HZ
功率因數	>0.9
發光效率**	97 lm/W
額定功率	30W
發光角度	110°
色溫	5000K / 4000K / 3000K
CRI	>90, R9>0
尺寸(±2mm)	Φ220mm X 54mm(H) 開孔 :190-195mm
重量(±5%)	550g

備註：*根據色溫，X 可為C(5000K)或N(4000K)或W(3000K)

**為4000K時所測量之數值

●自然白4000K照度圖



LED 嵌燈

型號：DE030 / DE060 / DE100



型號	DE030X-191*	DE060X-191*	DE100X-191*
額定光通量**	3000 lm (實測值:3150.5 lm)	6000 lm (實測值:5974.2 lm)	11000 lm (實測值:11056.2 lm)
額定電壓	100~240V, 50/60HZ		
功率因數	>0.9		
發光效率**	104 lm/W	97.3 lm/W	112 lm/W
額定功率	30W	60W	100W
發光角度	100°		
色溫	5000K / 3000K		
CRI	>80, R9>0		
尺寸(±2mm)	Φ240mm X 106mm (H) 開孔：205mm		
重量(±5%)	1077g	1100g	2000g

備註：*根據色溫，X 可為C(5000K)或W(3000K)

**為5000K時所測量之數值

● 冷白5000K照度圖

